A

	Application No.	Applicant(s)	
	10/564,312	KUTTNER, FRANZ	
Notice of Allowability	Examiner	Art Unit	
	Khai M. Nguyen	2819	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in i) or other appropriate communication is second in in the communication is second in the communication in the communication is second in the communication in the communica	n this application. If not included unication will be mailed in due course. THIS	
1. This communication is responsive to <u>7/16/2007</u> .	•		
2. The allowed claim(s) is/are <u>10-29</u> .			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority to a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>		or (f).	
2. Certified copies of the priority documents have	e been received in Application	on No	
3.  Copies of the certified copies of the priority d	ocuments have been receive	d in this national stage application from the	
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:		•	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file MENT of this application.	a reply complying with the requirements .	
4. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted.		
(a) ☐ including changes required by the Notice of Draftspe	•	v ( PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	<del>-</del>	· ( · · · · · · · · · · · · · · · · · ·	
(b) including changes required by the attached Examine		in the Office action of	
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			
6. DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT			
	•	·	
		<i>,</i>	
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No.	<ol> <li>Interview Summary (PTO-413),</li> <li>Paper No./Mail Date</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>5/11/2007</u></li> </ol>		Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	Statement of Reasons for Allowance	
-	9. 🗌 Other	NgrujenkhaQ	
		July 22, 2007 Khai M. Nguyen - Art Unit: 2819 571-272-1809	

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06) Art Unit: 2819

### **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 26, line 5, "generis" has been changed to read --generate--.

### Information Disclosure Statement

2. An initiated copy of the information disclosure statement (IDS) submitted on 5/11/2007 is attached herewith.

## **Drawings**

3. Drawings filed on 1/11/2006 and 7/16/2007 are accepted.

# Allowable Subject Matter

4. Claims 10-29 are allowable if the objections above are overcome. The following is a statement of reasons for the indication of allowable subject matter:

With respect to claims 10-25, the references of record neither anticipate nor render obvious the recited combinations including: the local decoder device that receives a plurality of row and column actuation signals; and the dynamic element matching (DEM) logic device that generates at least one arithmetic sign signal and two digital output data items from digital input data on the basis of a predetermined DEM algorithm in order to determine an initial cell and a final cell in the array arrangement

Art Unit: 2819

having energy sources which are to be activated, the at least one arithmetic sign signal determining whether cells adjoining the first cell in the array arrangement are activated if the cells to be activated reach the last cell in the array arrangement.

With respect to claims 26-29, the references of record fail to teach or suggest the recited combination including the control circuit that generates the plurality of row and column actuation signals and provides the generated row and column actuation signals to the local decoder device of the array arrangement, wherein the row and column actuation signals configured to cause the array arrangement to activate energy sources of a set of cells defined by an initial cell and a final cell, the initial cell and final cell determined on the basis of a predetermined dynamic element matching algorithm.

## Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khai M. Nguyen whose telephone number is 571-272-1809. The examiner can normally be reached on 9:00 - 5:30 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rexford (Rex) Barnie can be reached on 571-272-7492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2819

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

July 22, 2007

Khai M. Nguyen Art Unit: 2819 571-272-1809